BRINKS COMMERCIAL



2026
Brinks Commercial Product Catalog

Proven Quality Hardware From One of the Most Trusted Names in Security

brinkscommercial.com / 855-845-6937

About us

Commercial-Grade Quality Hardware You Can Count On

Brinks Commercial™ professional-grade door hardware delivers reliability backed by one of the most trusted names in security.

Our full line of door closers, locksets, flat goods, and accessories is engineered for high-traffic applications and exceeds industry expectations. Innovative solutions like our Patent-Pending FlexPlate™ adapter simplify door closer replacement, saving time and installation costs.

With a dedicated Customer Care Team and a competitive warranty, we provide the expertise and confidence professionals rely on to protect their facilities.





PROGRAM OVERVIEW

- **Keying Services & Bulk Ordering**
- **Comprehensive Commercial Hardware Program**
- **Dedicated Service Reps**

Need Help?

Our staff is ready to help:

- Live chat from 7:00 am to 4:00 pm PST at **brinkscommercial.com**
- By phone from 7:00 am to 4:00 pm PST at **855-845-6937**

Product specifications and installation videos available at **brinkscommercial.com**

BRINKS COMMERCIAL

We Supply Multifamily and Commercial Property Pros

Facility Managers | Maintenance | Technicians | Locksmiths | Handymen | Contractors

Interior Door Accessories

Ball Bearing Door Hinges

Floor Mounted Door Stop

Floor Mounted Door Stop with Holder


Pull Plate 16"

Push Plate 16"

Interior Unit Door Locks

Light Duty Passage Lever

Light Duty Privacy Lever



Common Area Doors

Medium and Heavy Duty Commercial Door Closers

Exit/Panic Device

Exit Device Lever Trim

Offices and Entryways

Single Cylinder Deadbolt

Heavy Duty Keyed Entry Lever

Heavy Duty Commercial Door Closer

Single Cylinder Deadbolt

Light Duty Keyed Entry Lever

BRINKS COMMERCIAL

Table of Contents

Closers (surface mounted) 5
- Commercial Closers 6
- Residential Closers 10

Locksets 13
- Lever/Knob Functions 14
- Levers 15
- Knobs 20
- Knob & Deadbolt Combo 21
- Deadbolt 22

Exit Device (and accessories).....24
- Exit Device (push bar)..... 25
- Exit Device Trim (pull handle) 26
- Exit Device Trim (pull handle) 27

Flat Goods & Accessories 28
- Dome Floor Stop..... 29
- Floor Stop with Holder..... 29
- Kick Down Floor Stop 29
- Wall Mounted Door Stop 30
- Door Silencers..... 30
- Privacy Door Latch..... 30
- Wall Door Stop with Holder.....30
- ASA Strike..... 31
- 4½" Ball Bearing Door Hinge..... 31
- Spring Hinge Pack 31
- Restroom Slide Latch 31
- Swinging Spring Hinge.....31
- Restroom Indicator Latch 32
- Restroom Door Hook 32
- Door Hook Fix-it_Kit.....32

Pull/Push/Kick Plates 33
- Pull Plates 34
- Push Plates..... 34
- Kickplate.....34


Door Handles 36
- “C” Style Pull Handle 37
- “H” Style Pull Handle 37
- 90-Degree Offset Door Pull Handle..... 37
- Pull handle.....37




Closers (surface mounted)

(BC4071)

Brinks Commercial FlexPlate™ Door Closer Replacement Unlocked.



Avoid drilling new or unwanted holes in your commercial door with the Brinks Commercial FlexPlate™ adapter, which attaches the plate to the existing holes in your door for seamless door closer replacement. This highly-adaptable plate matches >80% of competitor hole patterns found in the field.

		BC4071- Aluminum	BC4031- Aluminum	BC4051- Aluminum	BC4007- White	BC4009- White
						
		BC4032- Bronze	BC4052- Bronze	BC4008- Matte Black	BC4010- Matte Black	
						
		BC4073- Matte Black	BC4033- Matte Black	BC4053- Matte Black	BC4008- Matte Black	BC4010- Matte Black
						
	Description	All-In-One Heavy Duty Commercial Door Closer	Heavy Duty Commercial Door Closer	Medium Duty Commercial Door Closer	Heavy Duty Residential Door Closer	Light Duty Residential Hold Open Door Closer
	Replacement or New Install	Replacement or New Installation	Replacement or New Installation	Replacement or New Installation	Replacement or New Installation	Replacement or New Installation
	Traffic Level	High Traffic	High Traffic	Medium Traffic	Medium Traffic	Low Traffic
Mounting	**Standard (Pull)**	✓	✓	✓	✓	N/A
Mounting	**Top Jamb (Push)**	✓	✓	✓	✓	N/A
Mounting	**Parallel Arm (Push)**	✓	✓	✓	N/A	✓
Specs	**Hold Open Engagement**	N/A	N/A	N/A	N/A	80°
Specs	**FlexPlate™**	✓	N/A	N/A	N/A	N/A
Specs	**Adjustability**	Adjustable closing, latching and backcheck speeds	Adjustable closing, latching and backcheck speeds	Adjustable closing and latching speeds	Adjustable closing speed	Adjustable closing speed
Specs	**ADA Compliant**	✓	✓	N/A	N/A	✓
Specs	**Warranty**	10 Year Limited	10 Year Limited	10 Year Limited	5 Year Limited	5 Year Limited
Specs	**UL 10C**	3-Hour Fire	3-Hour Fire	3-Hour Fire	3-Hour Fire	N/A
Specs	**ANSI Grade**	Grade 1	Grade 1			
Specs	**Closer Size**	Adjustable 1 through 6	Adjustable 1 through 5	3	3	1
Specs	**Opening Range**	180°	180°	180°	155°	180°
Specs	**Exterior Door Size**	Up to 48"	Up to 42"	Up to 30"	Up to 30"	N/A
Specs	**Interior Door Size**	Up to 60"	Up to 54"	Up to 38"	Up to 38"	Up to 30"

Closer Mounting Options

STANDARD MOUNT



PARALLEL MOUNT



TOP JAMB MOUNT





All-In-One Heavy Duty Commercial Closer with FlexPlate™

ANSI GRADE 1 | 180° | c UL us 3 HOUR FIRE RATED | 10 YEAR LIMITED WARRANTY

FUNCTION	FINISH	MFG SKU
All-In-One Heavy Duty Commercial Closer	Aluminum	BC4071
All-In-One Heavy Duty Commercial Closer	Matte Black	BC4073



Aluminum


Matte Black


Specifications:

- ANSI Grade 1
- UL 3-Hour Fire Rated
- Body: Aluminum (plastic cover)
- Finishes: Aluminum (BC4071), Matte Black (BC4073)
- Closer Size: Adjustable 1 through 6
- Opening Range:
  Parallel: Up to 180-degrees
  Standard: Up to 180-degrees
  Top Jamb: Up to 180-degrees
- Exterior Door Size: Up to 48"
- Interior Door Size: Up to 60"


Parallel Arm (Push Side) Mounting




Patent Pending FlexPlate



Opening Angle	A		B		C	
	in	mm	in	mm	in	mm
120°	3-5/16	84	9-3/16	233	23-3/4	603
180°	13/16	21	6-11/16	170	21-5/16	541





(List of compatible models for FlexPlate™ can be found on next page)

Dimensions for additional mounting options can be found at: www.brinkscommercial.com

FlexPlate Hole Pattern Compatiblity

STANLEY Access Technologies
- D1650 Series
- D1651 Series

design hardware
- 116 Series
- 316 Series
- 416 Series

ARROW LOCK & DOOR HARDWARE
ASSA ABLOY
- 900N Series
- 500N Series
- DC214 Series
- DC203 Series
- DC204 Series
- 5016N
- DC500

DELANEY
- 4400 Series
- 6000 Series
- 8000 Series

SHIELD SECURITY
- 801201
- 801202
- 801204
- 801205
- 801207
- 909166
- 909168
- 909169

CALIBRE DOOR CLOSERS
- CA4000 Series
- CA5500 Series

DELTANA
- DC7
- DC10
- DC40
- DC50
- DC90

GLOBAL DOOR CONTROLS
- TC400 Series
- TC500 Series
- TC201
- TC4300
- TC2201ADA
- TC2200
- TC600
- TC4361
- DC70
- DC90

PDQ
- 1100 Series
- 3100 Series
- 5301
- 5501
- 7101

SARGENT
ASSA ABLOY
- 281 Series
- 351 Series
- 1130 Series
- 1331 Series
- 1430/1431 Series

PREMIER LOCK
- DC31 Series
- DC41 Series
- DC51 Series

International door closers inc
- 650/680 Series
- 750/780 Series
- 850/880 Series
- 5000/5050 Series
- 8050 Series
- 9000 Series
- 44CI Series
- 5000 Series
- 8051-TP

DEXTER COMMERCIAL HARDWARE
- DCH1000
- DCL2000
- DCM1000
- DCH4000

INDEPENDENCE
- 201 Series
- 611 Series

CRL
- PR40
- PR80
- PR90

Tell DOORS & HARDWARE
- 300 Series
- 500 Series
- 600 Series
- 800 Series
- 900 Series

BEST
dormakaba Group
- SL6000 Series
- HD7000 Series
- HD8000 Series
- HD7016
- HD8016
- SL6014
- EHD9000/EHD9016
- HF8056
- SL6036

Yale
- 150 Series
- 1400 Series
- 2300 Series
- 2500 Series
- 3100 Series
- 3300/3301 Series
- 3500 Series
- 5100 Series
- SC4400 Series
- SC400 Series
- 1101BF
- 1900
- 2701
- 51
- YDC201
- 5800
- 2721
- 2731
- 3521
- 3531
- 3581

L.I.F INDUSTRIES, INC.
- Grade 3 MD
- Grade 2 HD

dormakaba
- 7300 Series
- 7400 Series
- 7414
- 7436
- 8616
- 8916
- 8956

LCN
- 1000 Series
- 1260 Series
- 1460 Series
- 4040 Series
- 1250
- 1261
- 1450
- 4011
- 4021
- 4031
- 4041
- 4050
- 4111
- 4010
- 4020
- 4110

Corbin Russwin
ASSA ABLOY
- DC3000 Series
- DC6000 Series
- DC8000 Series
- DC3200
- DC3220
- DC3600
- DC3219
- DC5200
- DC6200
- DC6210
- DC8200
- DC8210

TRUDOOR
- TDC 100
- TDC 300
- TDC 400

FALCON
- SC60 Series
- SC70 Series
- SC80 Series

DOR-O-MATIC
- SC60 Series
- SC80 Series

CAL-ROYAL PRODUCTS, INC. U.S.A.
- 300 Series
- 441 Series
- 700 Series
- 300PBF
- 500PBF
- N900PBF
- 800


HAGER COMPANIES
- 5100 Series
- 5200 Series
- 5300 Series

NORTON RIXSON
ASSA ABLOY
- 1600/1601 Series
- 7500/7700 Series
- 8100/8300/8500 Series
- 9300/9500 Series
- 410
- 210
- 1700
- 78BF

TownSteel
- TDC-70
- TDC-54
- TDC-85
- TDC-40

Doormerica
- DC70
- DC851
- DC40

RYOBI
- 1650 Series
- 3500 Series



Heavy Duty Commercial Closer

ANSI GRADE 1 | 180° | c UL us 3 HOUR FIRE RATED | 10 YEAR LIMITED WARRANTY

FUNCTION	FINISH	MFG SKU
Heavy Duty Commercial Closer	Aluminum	BC4031
Heavy Duty Commercial Closer	Bronze	BC4032
Heavy Duty Commercial Closer	Matte Black	BC4033
Heavy Duty Commercial Closer (Contractor Pack)	Aluminum	ECC-0012AL
Heavy Duty Commercial Closer (Contractor Pack)	Bronze	ECC-0012BR



Aluminum



Bronze




Matte Black


Specifications:


- ANSI Grade 1
- UL 3-Hour Fire Rated
- Body: Aluminum
- Closer Size: Adjustable 1 through 5
- Opening Range:
  Parallel: Up to 180-degrees
  Standard: Up to 180-degrees
  Top Jamb: Up to 180-degrees
- Exterior Door Size: Up to 42"
- Interior Door Size: Up to 54"

Parallel Arm Installation



Opening Angle	A		B		C	
	in	mm	in	mm	in	mm
100°	7-5/16	186	8-15/16	227	23-11/16	602
120°	5-7/8	149	7-1/2	190	22-3/16	564
180°	3-13/16	97	5-7/16	138	20-3/16	513





Dimensions for additional mounting options can be found at: www.brinkscommercial.com



Medium Duty Commercial Closer

180° | C UL US LISTED 3 HOUR FIRE RATED | 10 YEAR LIMITED WARRANTY

FUNCTION	FINISH	MFG SKU
Medium Duty Commercial Closer	Aluminum	BC4051
Medium Duty Commercial Closer	Bronze	BC4052
Medium Duty Commercial Closer	Matte Black	BC4053
Medium Duty Commercial Closer (Contractor Pack)	Aluminum	ECC-0010AL
Medium Duty Commercial Closer (Contractor Pack)	Bronze	ECC-0010BR



Aluminum



Bronze




Matte Black


Specifications:


- UL 3-Hour Fire Rated
- Body: Aluminum
- Closer Size: 3
- Opening Range:
  Parallel: Up to 180-degrees
  Standard: Up to 180-degrees
  Top Jamb: Up to 180-degrees
- Exterior Door Size: Up to 30"
- Interior Door Size: Up to 38"

Parallel Arm Installation



Opening Angle	A		B		C	
	in	mm	in	mm	in	mm
100°	7-1/4	184	8-15/16	227	23-9/16	559
130°	5-3/4	146	7-1/2	190	22-1/16	560
180°	3-3/4	95	5-7/16	138	20-1/16	510





Dimensions for additional mounting options can be found at: www.brinkscommercial.com



Heavy Duty Residential Closer

FUNCTION	FINISH	MFG SKU
Heavy Duty Residential Closer	White	BC4007
Heavy Duty Residential Closer	Matte Black	BC4008
Heavy Duty Residential Closer (Contractor Pack)	White	ECC-0031WH
Heavy Duty Residential Closer (Contractor Pack)	Black	ECC-0031MB



White



Matte Black


Specifications:

- UL 3-Hour Fire Rated
- Body: Aluminum (plastic cover)
- Closer Size: 3
- Opening Range:
  Standard: Up to 155-degrees
  Top Jamb: Up to 155-degrees
- Exterior Door Size: Up to 30"
- Interior Door Size: Up to 38"

Standard (Pull Side) Mounting (Cover Not Shown)







Opening Angle	A		B		C	
	in	mm	in	mm	in	mm
120°	4-15/16	125	8-5/16	211	11-1/2	292
155°	2-3/16	56	5-9/16	141	8-3/4	222

Dimensions for additional mounting options can be found at: www.brinkscommercial.com



Light Duty Residential Closer

80° HOLD OPEN

5 YEAR LIMITED WARRANTY

FUNCTION	FINISH	MFG SKU
Light Duty Residential Closer	White	BC4009
Light Duty Residential Closer	Matte Black	BC4010
Light Duty Residential Closer (Contractor Pack)	White	ECC-0033WH
Light Duty Residential Closer (Contractor Pack)	Matte Black	ECC-0033MB

Specifications:

- Body: Aluminum (plastic cover)
- Closer Size: 1
- Opening Range: 180°
- Automatic Hold Open Engagement: 80°
- Exterior Door Size: N/A
- Interior Door Size: Up to 30"




White





Matte Black

Parallel Arm (Push Side) Mounting (Cover Not Shown)



Opening Angle	A		B	
	in	mm	in	mm
120°	4-15/16	125	8-5/16	211
155°	2-3/16	56	5-9/16	141






Dimensions for additional mounting options can be found at: www.brinkscommercial.com

Locksets









Grade 2 Tubular Entry Lever



Grade 2 Knob and Deadbolt Combo



Lever/Knob Functions

Outside/Inside	Function	ANSI No	Function Description
	Passage	F75	The Passage lever has a latchbolt that is operated by the lever from either side at all times. It does not have a lock function.
	Privacy	F76 F76A (Panic release)	**F76: Privacy Lock (panic/bolt release)** Latchbolt operated by knob or lever from either side except when outside knob/lever is locked by turn button or push button inside. Outside knob/lever unlocked by emergency key, by operating inside knob/lever, or by closing the door . Inside lever is always free. **ANSI F76A (Panic release):** The privacy lever has a latch bolt that's operated by the lever from either side, except when the outside lever is locked by the push button inside. An emergency release on the outside unlocks the locking device. Inside lever is always free for immediate egress.
	Keyed Entry	F81 F82B F109	**F81: Entry Lock** Deadlocking latchbolt operated by lever from either side except when outside lever is locked by turn button inside. Operating key in outside lever locks or unlocks locking device. Turn button shall be in unlocked position for outside or inside lever to operate latch bolt. **F82B: Entry Lock** Deadlocking latchbolt operated by knob or lever from either side except when outside knob/lever is locked by turn button or push button inside. Operating key in outside knob/lever unlocks locking device. Operating inside knob/lever unlocks locking mechanism and operates latch bolt. **F109: Entry Lock (dual locking functionality)** Deadlocking latchbolt operated by lever from either side except when outside lever is locked by turn button or push button inside. Operating key in outside lever or operating inside lever releases the push or turn button unlocking outside lever except when push or turn button has been both pushed and rotated to keep outside lever locked. When pushed and rotated, inside push or turn button must be manually operated to unlock outside lever. Inside lever is always free.
	Keyed Entry- Storeroom	F86	The Keyed Entry – Storeroom lever has a deadlocking latchbolt operated by a key in the outside lever or by rotating the inside lever. The outside lever is always locked. The Keyed Entry – Storeroom lever has a deadlocking latchbolt operated by a key in the outside lever or by rotating the inside lever. The outside lever is always locked.

Light Duty



FUNCTION	FINISH	MFG SKU
Dummy/Inactive	Satin Chrome	BC40068
Passage (F75)	Satin Chrome	BC40047
Passage (F75)	Matte Black	BC40101
Privacy (F76A)	Satin Chrome	BC40048
Privacy (F76A)	Matte Black	BC40100
Keyed Entry (F82B)	Satin Chrome	BC40049
Keyed Entry (F82B)	Matte Black	BC40098
Storeroom (F86)	Satin Chrome	BC40050
Storeroom (F86)	Matte Black	BC40099

Specifications:

- ANSI Grade 2
- UL 3-Hour Fire Rated
- Adjustable backset: 2-3/8" and 2-3/4"
- Rosette Diameter: 2-5/8"
- Finishes: Satin Chrome, Matte Black
- Lever Handle Length: 4-1/8"
- Chassis: Tubular
- Door range: 1-3/8" to 1-3/4"
- Keyway: SC1, 5 pin
- Strikes: T-strike (1-1/8" x 2-3/4") and full lip (1-3/4" x 2-1/4")




Satin Chrome



Matte Black

Keying Options: Grand Master Key (GMK), Builder Master Key (BMK), Master Key (MK), Maison Key (MK), Keyed Different (KD), Keyed Alike (KA)





Flat Lever

FUNCTION	FINISH	MFG SKU
Passage (F75)	Satin Chrome	BC40017
Privacy (F76)	Satin Chrome	BC40018
Keyed Entry (F109)	Satin Chrome	BC40019
Storeroom (F86)	Satin Chrome	BC40046
Passage (F75)	Matte Black	BC40110
Privacy (F76)	Matte Black	BC40111
Keyed Entry (F82B)	Matte Black	BC40112
Storeroom (F86)	Matte Black	BC40113

Keying Options: Grand Master Key (GMK), Builder Master Key (BMK), Master Key (MK), Maison Key (MK), Keyed Different (KD), Keyed Alike (KA)

Specifications:


- ANSI Grade 2
- UL 3-Hour Fire Rated
- Fixed backset: 2-3/4"
- Rosette Diameter: 3-5/16"
- Finishes: Satin Chrome, Matte Black
- Lever Handle Length: 5-1/8"
- Chassis: Cylindrical
- Door range: 1-3/8" to 2"
- Keyway: SC4, 6 pin
- Strikes: T-strike (1-1/8" x 2-3/4") and ASA Strike (1-1/4" x 4-7/8")



Satin Chrome



Matte Black



NOTE 1: Dimensions shown are for installation on a 1-3/4" door

Industrial Duty



ANSI GRADE 1 | 1 MILLION CYCLES | C UL US LISTED 3 HOUR FIRE RATED | VANDAL RESISTANT | FULL LIFETIME WARRANTY


FUNCTION	FINISH	MFG SKU
Passage (F75)	Satin Chrome	BC40021
Privacy (F76)	Satin Chrome	BC40022
Keyed Entry (F109)	Satin Chrome	BC40023
Classroom (F84)	Satin Chrome	BC40024
Storeroom (F86)	Satin Chrome	BC40025



Keying Options: Grand Master Key (GMK), Builder Master Key (BMK), Master Key (MK), Maison Key (MK), Keyed Different (KD), Keyed Alike (KA)


Specifications:


- ANSI Grade 1
- UL 3-Hour Fire Rated
- Fixed backset: 2-3/4"
- Rosette Diameter: 3-3/8"
- Finish: Satin Chrome
- Lever Handle Length: 5-5/8"
- Chassis: Cylindrical
- Door range: 1-3/8" to 2-1/4"
- Keyway: SC4, 6 pin
- Strikes: T-strike (1-1/8" x 2-3/4") and ASA Strike (1-1/4" x 4-7/8")





FUNCTION	FINISH	MFG SKU
Keyed Entry Lever (F109) and Deadbolt Combo	Satin Chrome	BC40032
Keyed Entry Lever (F109) and Deadbolt Combo	Matte Black	BC40114





Keying Options: Grand Master Key (GMK), Builder Master Key (BMK), Master Key (MK), Maison Key (MK), Keyed Different (KD), Keyed Alike (KA)

Lever Specifications:

ANSI Grade 2
UL 3-Hour Fire Rated
Fixed backset: 2-3/4"
Rosette Diameter: 3-5/16"
Finish: Satin Chrome
Lever Handle Length: 5-1/8" (tip to tip)
Chassis: Cylindrical
Door range: 1-3/8" to 2"
Keyway: SC4, 6 pin
Strikes: T-Strike (1-1/8" to 2-3/4") and ASA Strike (1-1/4" x 4-7/8")

Deadbolt Specifications:

ANSI Grade 1
UL 3-Hour Fire Rated
Adjustable backset: 2-3/8" or 2-3/4"
Rosette Diameter: 2-1/2"
Finish: Satin Chrome
Thumbturn Length: 2"
Door range: 1-3/8" to 2"
Keyway: SC4, 6 pin
Strikes: Rectangular with Square corners (1-1/8" x 2-3/4")
Reinforcement Plate: Recatangular with round corners (1-1/8" x 2-3/4")



ANSI GRADE 2

10 YEAR LIMITED WARRANTY


99 CODES PIN CAPACITY

FUNCTION	FINISH	MFG SKU
F86 Storeroom, F75 Passage (with interior switch)	Satin Chrome	BC40107
F86 Storeroom, F75 Passage (with interior switch)	Matte Black	BC40120



Specifications:

- ANSI Grade 2
- Adjustable backset: 2-3/8" and 2-3/4"
- Finishes: Satin Chrome, Matte Black
- Lever Handle Length: 3-3/4"
- Door range: 1-3/8" to 2"
- Keyway: SC4, 6 pin
- Cylinder: Brass
- Strikes: Full lip (1-3/4" x 2-1/4")



Light Duty



FUNCTION	FINISH	MFG SKU
Passage (F75)	Satin Chrome	BC40051
Passage (F75)	Matte Black	BC40105
Privacy (F76A)	Satin Chrome	BC40057
Privacy (F76A)	Matte Black	BC40104
Keyed Entry (F82B)	Satin Chrome	BC40052
Keyed Entry (F82B)	Matte Black	BC40103
Storeroom (F86)	Satin Chrome	BC40053
Storeroom (F86)	Matte Black	BC40102

Keying Options: Grand Master Key (GMK), Builder Master Key (BMK), Master Key (MK), Maison Key (MK), Keyed Different (KD), Keyed Alike (KA)


Specifications:

- ANSI Grade 2
- UL 3-Hour Fire Rated
- Adjustable backset: 2-3/8" and 2-3/4"
- Rosette Diameter: 2-5/8"
- Finishes: Satin Chrome & Matte Black
- Chassis: Tubular
- Door range: 1-3/8" to 1-3/4"
- Keyway: SC1, 5 pin
- Strikes: T-strike (1-1/8" x 2-3/4") and full lip (1-3/4" x 2-1/4")



Satin Chrome

Matte Black





FUNCTION	FINISH	MFG SKU
Keyed Entry (F82B) & Deadbolt Combo	Satin Chrome	BC40054
Keyed Entry (F82B) & Deadbolt Combo	Matte Black	BC40106


Satin Chrome



Matte Black


Keying Options: Grand Master Key (GMK), Builder Master Key (BMK), Master Key (MK), Maison Key (MK), Keyed Different (KD), Keyed Alike (KA)

Specifications:

- ANSI Grade 2
- UL 3-Hour Fire Rated
- Adjustable backset: 2-3/8" and 2-3/4"
- Finishes: Satin Chrome, Matte Black
- Rosette Diameter: (Knob) 2-5/8"
- Knob Chassis: Tubular
- Door range: 1-3/8" to 1-3/4"
- Keyway: SC1, 5 pin
- Strikes: T-strike (1-1/8" x 2-3/4") and full lip (1-3/4" x 2-1/4") (included)
- Deadbolt Strike: 1-1/8" x 2-3/4"









FUNCTION	FINISH	MFG SKU
Single Cylinder Deadbolt	Satin Chrome	BC40055
Single Cylinder Deadbolt	Matte Black	BC40130

Single Cylinder Deadbolt





FUNCTION	FINISH	MFG SKU
Double Cylinder Deadbolt	Satin Chrome	BC40056


Double Cylinder Deadbolt



Keying Options: Grand Master Key (GMK), Builder Master Key (BMK), Master Key (MK), Maison Key (MK), Keyed Different (KD), Keyed Alike (KA)

Specifications:

- Grade 1
- UL 3-Hour Fire Rated
- Adjustable backset: 2-3/8" and 2-3/4"
- Finishes: Satin Chrome, Matte Black
- Door range:
  Single Cylinder 1-3/8" to 2"
  Double Cylinder 1-9/16" to 2"
- Keyway: SC4, 6 pin
- Cylinder: Brass
- Strikes: Square Strike (1-1/8" x 2-3/4") and reinforcement plate





FUNCTION	FINISH	MFG SKU
Indicator Deadbolt	Satin Chrome	BC40131


Grade 2 Indicator Deadbolt




Specifications:

- ANSI Grade 2
- Adjustable backset: 2-3/8" and 2-3/4"
- Finish: Satin Chrome
- Door range: 1-3/8" to 1-3/4"
- Strikes: Square strike (1-1/8" x 1-3/4") and reinforcement plate








Exit Devices (and accessories)



M91P Exit Device



FUNCTION	FINISH	MFG SKU
Exit Device and SC4 Rim Cylinder w Finger Pull Trim	Satin Chrome	BC40010
Exit Device and SC4 Rim Cylinder w Finger Pull Trim	Matte Black	BC41015
Exit Device Only (Contractor Pack)	Aluminum	EC-0048AL
Exit Device Only (Contractor Pack)	Matte Black	EC-0048MB
Exit Device + KIL Storeroom Lever Trim Combo (Contractor Pack)	Aluminum	EC-0056AL


Exit Device






Applications

Compare to Von Duprin 22 Series



Single rim device



Two rim devices with mullion — same direction

Specifications:


- ANSI Grade 1
- UL Listed: 305 Compliant
- Door width range: 28" to 42"
- 36" – 42" door width range without modification 28" – 35" door width range with cutting of the rail frame. 30" minimum door width for a double door + mullion installation
- Head Cover Dimensions: 8-1/2" x 2-3/4" x 2-1/2"
- Push bar projection: 2-1/2" (push bar neutral) 1-15/16" (push bar depressed)
- Door thickness range: 1-3/4" – 2"
- Latch bolt: Deadlocking with 5/8" projection
- Dogging device: Yes, hex key included
- ADA Compliant: Yes - Device only or with KIL Lever Trim
- Cylinder keyway: SC4 , 6-Pin
- Strikes: Surface mounted strike with 1/8" strike shim
- Finishes: Aluminum, Matte Black
- Included: Brass rim cylinder and steel pull
- Stile: Wide



Exit Device Trims

10 YEAR LIMITED WARRANTY

FUNCTION	FINISH	COMPATIBLE DEVICES	MFG SKU
Exit Device Trim	Satin Chrome	BC40010, BC41015	BC40011
Exit Device Trim	Matte Black	BC40010, BC41015	BC41016





* Cylinder not included with pull handle.
Cylinder included with BC40010 or BC41015.

Specifications:

Trim function: Pull Handle

Function description: Key retracts bolt (cylinder included with BC40010 or BC41015); Cylinder sleeve included for 161 door prep

Escutcheon plate size: 12-5/16" x 3"

Pull center to center: 5-1/2"

Projection: 1-3/4"

Finishes: Satin Stainless Steel, Matte Black

Handing: Reversible

Through-bolt design

Night latch function: Yes

Door thickness range: 1-3/4" to 2"

FUNCTION	FINISH	COMPATIBLE DEVICES	MFG SKU
Exit Device Passage Lever Trim	Satin Chrome	BC40010, BC41015	BC40031
Exit Device Storeroom Lever Trim	Satin Chrome	BC40010, BC41015	BC40036



Specifications:

Cycle Tested: 250,000

Function Descriptions: Passage and Storeroom Designed to work with Brinks Commercial Exit Device (BC40010)

ADA Compliant

3-3/8" diameter rose

Non-clutching

Door thickness: 1-3/4"-2"

Non-handed/ Reversible




FUNCTION	FINISH	MFG SKU
M91P Exit Device	Satin Stainless Steel	BC41030




M91P offers the same performance and technical specifications as the Von Duprin 99 Series

Applications



Single rim device



Two rim devices with mullion — same direction

Specifications:

- ANSI Grade 1
- UL Listed: 305 Compliant
- ADA Compliant: Yes
- Dogging: Yes, hex key provided
- Reversible: Yes
- Door Width Range: 28” to 36”
- Head Cover Dimensions: 8” x 2-3/4”
- Device Length: 33”
- Push Bar Length: 18”
- Push Bar Projection: 3-13/16” neutral, 3-1/16” depressed
- Door Thickness: 1-3/4” to 2-1/4”
- Latch Bolt: 3/4” throw, deadlocking
- Strike: 2-7/8” roller strike
- Damper: Fluid filled quiet damper
- Warranty: 10 year limited
- Finish: Satin Stainless Steel
- Included: Brass cylinder with tailpiece, SC4 6-pin, and device end cap.

Flat Goods & Accessories

Stainless Steel Pull Plate



Privacy Door Latch



Door Silencers

FUNCTION	FINISH	MFG SKU
Floor Mount Door Stop	Satin Chrome	BC40074
Floor Mount Door Stop	Matte Black	BC41019





Specifications:

Base Material: Solid cast brass

Diameter: 1-3/4"

Height without riser: 1-1/8"

Height with riser: 1-1/2"

Fasteners: (1) #12 x 1-1/2" Wood Screw, (1) 1/4"-20 x 1" Machine Screw

Finishes: Satin Chrome, Matte Black

Bumper: Rubber

Mounting: Floor mounted

FUNCTION	FINISH	MFG SKU
Floor Mount Door Stop with Holder	Satin Chrome	BC40076
Floor Mount Door Stop with Holder	Matte Black	BC40108





Specifications:

Base Material: Solid cast brass

Diameter: 2-1/2"

Height: 3-1/2"

Fasteners: (3) #12 x 1-1/2" Wood Screws, (1) 5/16"-18 Fully Threaded Rod

Finishes: Satin Chrome, Matte Black

Bumper: Rubber

Mounting: Floor mounted

FUNCTION	FINISH	MFG SKU
Kick Down Floor Stop	Bronze	BC41008
Kick Down Floor Stop	Satin Chrome	BC41009
Kick Down Floor Stop	Matte Black	BC41020





Specifications:

Base Material: Solid cast brass

Height: 4"

Bumper Diameter: 1"

Fasteners: (4) #8 x 1" Wood Screws

Finishes: Satin Chrome, Matte Black

Bumper: Rubber

Mounting: Door mounted

FUNCTION	FINISH	MFG SKU
Wall Mounted Door Stop	Satin Chrome	BC41023
Wall Mounted Door Stop	Matte Black	BC41024





Specifications:

Base Material: Stainless Steel
Diameter: 2-1/2"
Projection: 1"
Fasteners: (1) #8 x 1-1/2" wood screw
Finishes: Satin Chrome, Matte Black
Mounting: Wall mounted

FUNCTION	MFG SKU
Door Silencers	BC41013





Specifications:

Material: Rubber
Diameter: 1/2"
Height: 1/2"
Pack of 12

FUNCTION	FINISH	MFG SKU
Privacy Door Latch	Satin Chrome	BC40092
Privacy Door Latch	Bronze	BC40093
Privacy Door Latch	White	BC40109





Specifications:

Base Material: Zinc Alloy
Height: 2.75"
Fasteners: (3) #12 x 1-3/4" Wood Screws
Finishes: Satin Chrome, Bronze, White
Mounting: Frame Mounted

FUNCTION	FINISH	MFG SKU
Spring Loaded Door Stop	Stainless Steel	BC40175



Specifications:

Base Material: Stainless Steel
Bumper Diameter: 1"
Height: 9-3/4"
Range of travel: 1-1/2"
Fasteners: Includes (4) M4x18 screws
Finishes: Stainless Steel
Bumper: Rubber
Mounting: Door mounted

FUNCTION	FINISH	MFG SKU
ASA Strike	Satin Chrome	BC41012
ASA Strike	Matte Black	BC41014





Specifications:

Base Material: Stainless Steel
Height: 4-7/8"
Width: 1-7/8"
Fasteners: #12 x 3/4" Combo Screws
Finishes: Satin Chrome, Matte Black

FUNCTION	FINISH	MFG SKU
4 1/2" Ball Bearing Door Hinge	Prime Coated	BC41010
4 1/2" Ball Bearing Door Hinge	Satin Chrome	BC41011
4 1/2" Ball Bearing Door Hinge	Matte Black	BC41018
4-1/2" Ball Bearing Door Hinge (3-Pack)	Prime Coated	BC41025
4-1/2" Ball Bearing Door Hinge (3-Pack)	Satin Chrome	BC41026
4-1/2" Ball Bearing Door Hinge (3-Pack)	Matte Black	BC41027

Specifications:

Material: Steel
Gauge of Metal: .134"
Dimensions: 4.5" x 4.5"
Finishes: Prime Coated (BC41010), Satin Chrome (BC41011), BC41018 (Matte Black)
Swaging: 1/16" Swage standard which provides 1/16" of clearance between leaves
Range: 270 degrees



Hinges meet the requirements of NFPA 80 Section 6.4.3.1 for use on fire rated doors up to 4 ft wide by 8 ft high and 1-3/4" thick.

FUNCTION	FINISH	MFG SKU
Spring Hinge Pack	Satin Chrome	BC40132

Specifications:

Material: Steel
Gauge: .134"
Dimensions: 4-1//2" x 4-1/2"
Finish: Satin Chrome
Swaging: 1/16"



ANSI A156.17 Grade 1
UL 10C 3 Hour Fire Rated

FUNCTION	FINISH	MFG SKU
Commercial Cafe Door Hinge	Satin Chrome	BC41028



Specifications:

Material: Steel
Gauge: .072"
Dimensions: 3" X 4-1/2"
Finish: Satin Chrome
Swaging: N/A
Direction: Bi-directional
Hinge type: Spring adjustable

FUNCTION	FINISH	MFG SKU
Restroom Slide Latch	Stainless Steel	BC40117





Specifications:

Material: SUS 304

Application: Wood or metal doors

Finish: Stainless Steel

Bolt Extension: 1" (25mm)

Hardware: (4) M5 x 3/4" sheet metal screws

FUNCTION	FINISH	MFG SKU
Door Hook Fix-it-Kit	Stainless Steel	BC40145



Specifications:

Material: SUS 304

Application: Wood, Metal or Drywall

Finish: Stainless Steel

Plate: 3" x3" plate x .035" thick stainless steel

Projection: 4-1/2"

Hardware: (7) #6 x 3/4" sheet metal screws, (4) heavy duty self-drilling drywall anchors

FUNCTION	FINISH	MFG SKU
Commercial Dual Hook	Aluminum	BC40140



Specifications:

Material: Aluminum

Application: Wood, Metal or Drywall

Finish: Aluminum

Projection: 3-3/4"

Hardware:(4) #6 x 1" combo screws, includes drywall anchors (non-self drilling)

FUNCTION	FINISH	MFG SKU
Restroom Indicator Latch	Satin Nickel	BC40118





Specifications:

Material: SUS 201 (Plastic indicator)

Application: Wood or metal doors

Finish: Satin Nickel

Bolt Extension: 3/4"

Hardware: (6) #7 x 1" sheet metal screws, (2) #4 x 19/32" sheet metal screws

FUNCTION	FINISH	MFG SKU
Door Hook	Polished Chrome	BC40141



Specifications:

Material: Zinc

Application: Wood, Metal or Drywall

Finish: Polished Chrome


Projection: 3"

Hardware: (2) #6 x 1" combo screws, includes drywall anchors (non-self drilling)

Pull/Push/Kick Plates



Stainless Steel Pull Plate



Aluminum Push Plate

FUNCTION	FINISH	MFG SKU
Pull Plate	Stainless Steel	BC41004





Specifications:

Material: Stainless Steel

Size: 4" x 16"

Finishes: Stainless Steel

Handle CTC: 6"

Fasteners: (6) #6 x 3/4" Wood Screws

FUNCTION	FINISH	MFG SKU
Pull Plate	Aluminum	BC41006
Pull Plate	Matte Black	BC41021





Specifications:

Material: Aluminum

Size: 3-1/2" x 15"

Finishes: Aluminum, Matte Black

Handle CTC: 5-1/8"

Fasteners: (6) #6 x 3/4" Wood Screws

FUNCTION	FINISH	MFG SKU
Push Plate	Stainless Steel	BC41003
Push Plate	Matte Black	BC40135





Specifications:

Material: Stainless Steel

Size: 8" x 16"

Finishes: Stainless Steel, Matte Black

Fasteners: (6) #6 x 3/4" Wood Screws

FUNCTION	FINISH	MFG SKU
Push Plate	Stainless Steel	BC41005
Push Plate	Aluminum	BC41007
Push Plate	Matte Black	BC41022
Push Plate	Stainless Steel	BC41040





Specifications:

Material: Stainless Steel (BC41005 & BC41040); Aluminum (BC41007 & BC41022)

Size: 3-1/2" x 15"(BC41005, BC41007, BC41022), 4" x 16" (BC41040)

Finishes: Stainless Steel (BC41005 & BC41040); Satin Aluminum (BC41007); Matte Black (BC41022)

Fasteners: (6) #6 x 3/4" Wood Screws

FUNCTION	FINISH	MFG SKU
Kickplate	Stainless Steel	BC41002
Kickplate	Matte Black	BC40134

Specifications:

Material: Material: Stainless Steel (BC41002) Aluminum (BC40134)

Size: 8" x 34" (BC40134 & BC41002) ,

Finishes: Stainless Steel (BC41002), Matte Black (BC40134)

FUNCTION	FINISH	MFG SKU
Kickplate	Gray	BC41037

Specifications:

Material: Vinyl

Size: 10" x 34"(BC41037)


Finish: Gray

Fasteners: (6) #6 x 3/4" Wood Screws

Thickness: 1mm



Door Handles




C-Style Pull Handle

FUNCTION	FINISH	MFG SKU
Pull Handle	Stainless Steel	BC40094





"C" Style Pull Handle



Specifications:

Material: 304 Grade stainless steel

Application: Wood, glass, fiberglass and metal doors

Pull center to center: 11"

Tube Diameter: 1"

Projection: 2-3/4"


Door thickness range: 1/4" (glass) to 2"

FUNCTION	FINISH	MFG SKU
Pull Handle	Stainless Steel	BC40095





"H" Style Pull Handle



Specifications:

Material: 304 Grade stainless steel

Application: Wood, glass, fiberglass and metal doors

Pull center to center: 6"

Tube Diameter: 1"


Projection: 3"

Door thickness range: 1/4" (glass) to 2"

FUNCTION	FINISH	MFG SKU
90-Degree Offset Door Pull Handle	Stainless Steel	BC40115
90-Degree Offset Door Pull Handle	Matte Black	BC40116







Specifications:

Material: 304 Grade stainless steel

Application: Wood, glass, fiberglass and metal doors

Pull center to center: 9"

Tube Diameter: 1"

Projection: 3-1/8"

Offset: 4"

Door thickness range: Glass 1/4"- 1/2" Wood/ Metal/Fiberglass 1-3/4"-2"

FUNCTION	FINISH	MFG SKU
Pull handle	Aluminum	BC40069





Specifications:

Material: Aluminum

Application: Wood and metal doors

Pull center to center: 5-3/4"

Overall Length: 7-1/2"

Projection: 2-1/8"

Minimum Door thickness range: 1"

BRINKS COMMERCIAL



brinkscommercial.com
855-845-6937

HAMPTON

50 Icon, Foothill Ranch, CA 92610-3000
©2026 Hampton Products International Corp.
84000-00022_REVF 11/25